


DAKOTA COUNTY
1 & 6 YEAR
ROAD PLAN
2026-2032

FOR ROAD IMPROVEMENTS



**ONE & SIX YEAR
ROAD IMPROVEMENT PLAN
DAKOTA COUNTY, NEBRASKA
2026-2032**

PRIORITY NO.	PROJECT NO.	FISCAL YEAR	IMPROVEMENTS	ESTIMATED COST
1	C-22(313)	2026/2027	Pave M Ave in conjunction with the Village of Hubbard from Hubbard Village Limits to the county bridge approx 600 feet. Section 22 & 23, T-28-N, R-7-E. Contract Work	\$ 188,000.00
2	C-22(314)	2026-2027	Build up H Ave from Hwy 20 south to Railroad Tracks approx 0.7 miles. Section 34 & 35, T-28-N, R-8-East. County Forces	\$ 25,000.00
3	C-22(308)	2026/2027	Build up road and culvert extension on S Bluff Rd. Approx 600 ft Section 34, T-28-N, R-8-E. Contract work	\$ 119,500.00
4	C-22(315)	2026/2027	Reconstruct intersection of S Bluff Road and 200th Street. Approx 200 feet. Section 21, T-28-N, R-8-E. County forces	\$ 8,000.00
5	C-22(320)	2026/2027	N Bluff Panel Repair between Hwy 35 and Hwy 20 Section 1, 2, 11, 12, 14, T-28-N, R-7-E, and Section 35, T-29-N, R-7-E. Contract work	\$ 191,000.00
6	C-22(316)	2026/2027	L Ave road and shoulder reconstruction. From Jackson town limits to 122nd Street. Approx. 3 miles. Contract work Section 13, 14, 24, & 25, T-29-N, R-7-E	\$ 287,500.00
7	C-22(311)	2027/2028	Build up Hope Ave South of Hwy 20 Section 34, T-29-N, R-8-E Approx 500 feet. County forces	\$ 8,000.00
8	C-22(317)	2027/2028	Reconstruct intersection of G Ave and 225th Street. Approx 100 feet. Section 1 & 2, T-27-N, R-8-E. County forces	\$ 5,000.00
9	C-22(318)	2027/2028	Reconstruct intersection of Q Ave and 180th Street. Approx 100 feet. Section 7, T-28-N, R-7-E, & Section 12, T-28-N, R-6-E. County forces	\$ 4,000.00
10	C-22(319)	2027/2028	Reconstruct intersection of Pierce Ave and 210th Street. Approx 100 feet. Section 30, T-28-N, R-7-E. County Forces	\$ 4,000.00
11	C-22(305)	2027/2028	260th Street road and shoulder reconstruction From M Ave west to Hwy 35. Approx 5.5 miles Section 19, 20, 22, 27, 28, 29, 30, T-22-N, R-7-E and Section 23, 24, 25, 26, T-27-N, R-6-E. Contract Work	\$ 300,000.00
12	C-22(309)	2027/2028	M Ave road and shoulder reconstruction from 240th Street south to 270th Street. Approx. 3miles. Section 14, 15, 22, 23, 26, 27, T-27-N, R-7-E. Contract Work	\$ 300,000.00

**ONE & SIX YEAR
ROAD IMPROVEMENT PLAN
DAKOTA COUNTY, NEBRASKA
2026-2032**

PRIORITY NO.	PROJECT NO.	FISCAL YEAR	IMPROVEMENTS	ESTIMATED COST
13	C-22(275)	2028/2029	Replace Bridge C002200320, I Adams Bridge on S Ave Section 10 & 11, T-28-N, R-6-E Contract Work	\$ 600,000.00
14	C-22(310)	2029/2030	Remove existing surface and pave N Bluff road approx 3.8 miles between Hwy 35 and Hwy 20. Section 1, 2, 11, 12, 14, T-28-N, R-7-E, and Section 35, T-29-N, R-7-E. Contract work	\$ 12,000,000.00
15	C-22(280)	2030/2031	Pave 0.5 miles of M Ave from 200th Street to 203rd Street Section 27 & 26, T-28-N, R-7-E Contract Work	\$ 4,000,000.00
16	C-22(281)	2031/2032	Fiddler Creek Road concrete paving. Section 15 & 16, T-27-N, R-8-E Approximately 1 mile. Contract Work	\$ 1,500,000.00
17	C-22(276)	2031/2032	Buy ROW and provide access route for landowners on the South side of Jackson Bridge C0022B1705 Thomas & Hope and remove fracture critical bridge from inventory. Section 36, T-29-N, R-7-E	
18	C-22(277)	2031/2032	Buy ROW to provide access route for landowner on the South side of Jackson Bridge C002211705P Jackson West and remove fracture critical bridge from inventory. Section 36, T-29-N, R-7-E	
19	C-22(278)	2031/2032	Coordinate with NRD to provide access road for landowner Southeast of Wachter Bridge C002211510P Section 23, T-28-N, R-7-E	

ONE & SIX YEAR

**DAKOTA COUNTY, NEBRASKA
COMPLETED PROJECTS 2025-2026**

PROJECT NO.	DATE COMPLETED	IMPROVEMENTS	FINAL COST
C-22(304)	Oct-25	M Ave road and shoulder reconstruction from 210th Street south to 240th Street. Approx. 3miles	\$324,704.01
C-22(306)	Oct-25	2" overlay on 152nd Street from Hwy 110 to Hwy 20 on 4 sections totaling approx 980 feet x 24 feet wide. Section 36, T-29-N, R-8-E	\$35,625.00
C-22(307)	Aug-25	N Bluff Panel Repair between Hwy 35 and Hwy 20	\$49,296.00
C-22(312)	Oct-25	Build up S Bluff Road Section 24, T-28-N, R-7-E work done by county forces	\$5,400.00

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: Pave M Ave from Hubbard town limits south to bridge. Approximately 600'. Section 22 & 23, Township 28 North, Range 7 East			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel			
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Other Arterial	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness: 9"	Width: 30'
☐ Grading ☐ Aggregate ☐ Armor Coat ☐ Asphalt	☒ Concrete ☐ Curb & Gutter ☐ Drainage Structures ☐ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type:
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	188		
	★ FEDERAL	★ OTHER	TOTAL
			188,000
Project Length: (Nearest Tenth, State Unit of Measure) 600 feet		Project No: C-22(313)	
Signature: 		Title: County Highway Superintendent	Date: 9-28-2026


Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: Build up H Ave from Hwy 20 South to the railroad tracks. Section 34 & 35, Township 28 North, Range 8 East						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel						
Average Daily Traffic: 2026 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing	Thickness:	Width:			
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☐ Drainage Structures ☐ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐			
Bridge to Remain in Place	Roadway Width:	Length:	Type:			
New Bridge	Roadway Width:	Length:	Type:			
Box Culvert	Span:	Rise:	Length:	Type:		
Culvert	Diameter:	Length:	Type:			
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	25					25,000
Project Length: (Nearest Tenth, State Unit of Measure) 0.7 miles			Project No: C-22(314)			
Signature: 		Title: County Highway Superintendent			Date: 9-28-2020	


Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: Build up road and culvert extension on S Bluff Road west of 212th St. Section 34, Township 28 North, Range 8 East.						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel						
Average Daily Traffic: 2026 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Collector				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing	Thickness:	Width:			
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐			
Bridge to Remain in Place	Roadway Width:	Length:	Type:			
New Bridge	Roadway Width:	Length:	Type:			
Box Culvert	Span:	Rise:	Length:	Type:		
Culvert	Diameter:	Length:	Type:			
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	119.5					\$ 119,500.00
Project Length: (Nearest Tenth, State Unit of Measure) 600 feet			Project No: C-22(308)			
Signature: 		Title: County Highway Superintendent			Date: 9-28-2024	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: Reconstruct intersection of S Bluff Road and 200th Street. Section 21, Township 28 North, Range 8 East						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel						
Average Daily Traffic: 2026 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Collector				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing	Thickness:	Width:			
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐			
Bridge to Remain in Place	Roadway Width:	Length:	Type:			
New Bridge	Roadway Width:	Length:	Type:			
Box Culvert	Span:	Rise:	Length:	Type:		
Culvert	Diameter:	Length:	Type:			
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	8					\$ 8,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 200				Project No: C-22(315)		
Signature: 		Title: County Highway Superintendent			Date: 9-28-2026	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: N Bluff Rd panel repair between Hwy 35 and Hwy 20. Section 1, 2, 11, 12, 14, Township 28 North, Range 7 East, and Section 35, Township 29 North, Range 7 East.						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel						
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Collector				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing	Thickness: 10"	Width: 11'			
☐ Grading ☐ Aggregate ☐ Armor Coat ☐ Asphalt	☒ Concrete ☐ Curb & Gutter ☐ Drainage Structures ☐ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐			
Bridge to Remain in Place	Roadway Width:	Length:	Type:			
New Bridge	Roadway Width:	Length:	Type:			
Box Culvert	Span:	Rise:	Length:	Type:		
Culvert	Diameter:	Length:	Type:			
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	191					\$ 191,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 500 SY				Project No: C-22(320)		
Signature: 			Title: County Highway Superintendent		Date: 9-28-2020	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota		City:		Village:			
Location Description: L Ave road and shoulder reconstruction from Jackson town limits to 122nd Street. Section 13, 14, 24, & 25, Township 29 North, Range 7 East.							
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel							
Average Daily Traffic: 2026 =			Classification Type: <i>(As shown on Functional Classification Map)</i> Local				
PROPOSED IMPROVEMENT							
Design Standard Number:		Surfacing		Thickness:	Width:		
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt		☐ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control		☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐		
Bridge to Remain in Place		Roadway Width:		Length:	Type:		
New Bridge		Roadway Width:		Length:	Type:		
Box Culvert		Span:	Rise:	Length:	Type:		
Culvert		Diameter:		Length:	Type:		
Bridges and Culverts Sized		☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:							
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL		★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
		287.5					\$ 287,500.00
Project Length: (Nearest Tenth, State Unit of Measure) 3 miles					Project No: C-22(316)		
Signature: 			Title: County Highway Superintendent			Date: 9-28-2024	


Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: Build up Hope Ave south of Hwy 20 Section 34, Township 29 North, Range 8 East.						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel						
Average Daily Traffic: 2026 =		2046=				
		Classification Type: <i>(As shown on Functional Classification Map)</i> Local				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing		Thickness:	Width:		
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☐ Drainage Structures ☐ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐			
Bridge to Remain in Place	Roadway Width:	Length:	Type:			
New Bridge	Roadway Width:	Length:	Type:			
Box Culvert	Span:	Rise:	Length:	Type:		
Culvert	Diameter:	Length:	Type:			
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	8					\$ 8,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 500 feet			Project No: C-22(311)			
Signature: 		Title: County Highway Superintendent			Date: 9-28-2024	


Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: Reconstruct intersection of G Ave and 225th Street. Section 1 & 2, Township 27 North, Range 8 East			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel			
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Other Arterial	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness:	Width:
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☐ Drainage Structures ☐ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type:
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	5		
	★ FEDERAL		★ OTHER
			\$ 5,000.00
Project Length: (Nearest Tenth, State Unit of Measure)		Project No:	
100 feet		C-22(317)	
Signature:		Title:	Date:
		County Highway Superintendent	9-28-2024


Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: Reconstruct intersection of Q Ave and 180th Street. Section 7, Township 28 North, Range 7 East and Section 12, Township 28 North, Range 6 East			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel			
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Collector	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness:	Width:
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☐ Drainage Structures ☐ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type:
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	4		
	★ FEDERAL		★ OTHER
			TOTAL
			\$ 4,000.00
Project Length: (Nearest Tenth, State Unit of Measure)		Project No:	
100 feet		C-22(318)	
Signature: 		Title: County Highway Superintendent	
		Date: 9-28-2026	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: Reconstruct intersection of Pierce Ave and 210th Street. Section 30, Township 28 North, Range 7 East						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel						
Average Daily Traffic: 2026 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing		Thickness:	Width:		
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☐ Drainage Structures ☐ Erosion Control		☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐		
Bridge to Remain in Place	Roadway Width:		Length:	Type:		
New Bridge	Roadway Width:		Length:	Type:		
Box Culvert	Span:	Rise:	Length:	Type:		
Culvert	Diameter:		Length:	Type:		
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	4					\$ 4,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 100 feet			Project No: C-22(319)			
Signature: 		Title: County Highway Superintendent			Date: 9-28-2026	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: 260th Street road and shoulder reconstruction from M Ave west to Hwy 35. Approx 5.5 miles. Section 19, 20, 22, 27, 28, 29, 30 Township 22 North, Range 7 East. Section 23, 24, 25, 26 Township 27 North, Range 6 East			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel			
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Other Arterial	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness:	Width:
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type:
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	300		
	★ FEDERAL	★ OTHER	TOTAL
			\$ 300,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 5.5 miles		Project No: C-22(305)	
Signature: 		Title: County Highway Superintendent	
		Date: 9-28-2020	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: M Ave road and shoulder reconstruction from 240th Street south to 270th Street. Aproximately 3 miles. Section 14, 15, 22, 23, 26, 27, Township 27, Range 7 East.						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel						
Average Daily Traffic: 2026 =		Classification Type: <i>(As shown on Functional Classification Map)</i> 2046= Other Arterial, Collector				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing	Thickness:	Width:			
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐			
Bridge to Remain in Place	Roadway Width:	Length:	Type:			
New Bridge	Roadway Width:	Length:	Type:			
Box Culvert	Span:	Rise:	Length:	Type:		
Culvert	Diameter:	Length:	Type:			
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	300					\$ 300,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 3 miles			Project No: C-22(309)			
Signature: 		Title: County Highway Superintendent			Date: 9-28-2026	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: Bridge replacement on S Avenue south of 170th Street. Section 10 & 11, Township 28 North, Range 6 East. I Adams Bridge. C002200320						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Fracture Critical Bridge span 50'0" with two steel girder approach spans with hollywood deck, one lane						
Average Daily Traffic: 2026 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing		Thickness:	Width:		
☐ Grading ☐ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☐ Drainage Structures ☐ Erosion Control		☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐		
Bridge to Remain in Place	Roadway Width:	Length:	Type:			
New Bridge	Roadway Width: 24'-6"	Length: 90'-0"	Type: Single Span, concrete deck			
Box Culvert	Span:	Rise:	Length:	Type:		
Culvert	Diameter:	Length:	Type:			
Bridges and Culverts Sized	☒ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	600					\$ 600,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 150'				Project No: C-22(275)		
Signature: 			Title: County Highway Superintendent		Date: 9-28-2024	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:				
Location Description: Remove existing surface and pave N Bluff Road from Hwy 35 to Hwy 20. Approx 3.8 miles. Section 1, 2, 11, 12, 14 Township 28 North, Range 7 East, and Section 35, Township 29 North, Range 7 East.						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 8" thick panels 22' wide with 4' gravel shoulders						
Average Daily Traffic: 2026 =		Classification Type: <i>(As shown on Functional Classification Map)</i> 2046 = Other Arterial				
PROPOSED IMPROVEMENT						
Design Standard Number:	Surfacing	Thickness: 10"	Width: 34'			
☐ Grading ☐ Aggregate ☐ Armor Coat ☐ Asphalt	☒ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☐ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐			
Bridge to Remain in Place	Roadway Width:	Length:	Type:			
New Bridge	Roadway Width:	Length:	Type: Single Span, concrete deck			
Box Culvert	Span:	Rise:	Length: Type:			
Culvert	Diameter:	Length:	Type:			
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features:						
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	12,000,000					\$ 12,000,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 3.8 miles				Project No: C-22(310)		
Signature: 		Title: County Highway Superintendent			Date: 9-28-2024	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: Pave 0.5 miles of M Ave from 200th Street to 203rd Street Section 26 & 27, Township 27 North, Range 8 East.			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel			
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Other Arterial	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness: 10"	Width: 34'
☐ Grading ☐ Aggregate ☐ Armor Coat ☐ Asphalt	☒ Concrete ☒ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☒ Right of Way ☒ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type: Single Span, concrete deck
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	4,000,000		
	★ FEDERAL	★ OTHER	TOTAL
			\$ 4,000,000.00
Project Length: (Nearest Tenth, State Unit of Measure)		Project No:	
0.5		C-22(280)	
Signature:		Title:	Date:
		County Highway Superintendent	9-28-2024

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: Pave 1 mile of Fiddler Creek Road from existing pavement west. Section 15 & 16, Township 27 North, Range 8 East			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel			
Average Daily Traffic: 2026 =		Classification Type: <i>(As shown on Functional Classification Map)</i> 2046= Other Arterial	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness: 10"	Width: 34'
☐ Grading ☐ Aggregate ☐ Armor Coat ☐ Asphalt	☒ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☒ Right of Way ☒ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type: Single Span, concrete deck
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	1,500,000		
	★ FEDERAL	★ OTHER	TOTAL
			\$ 1,500,000.00
Project Length: (Nearest Tenth, State Unit of Measure) 1 mile		Project No: C-22(281)	
Signature: 		Title: County Highway Superintendent	Date: 9-28-2026


Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: Buy ROW and provide access route for landowners on the south side of Jackson Bridge C0022B1705 Thomas & Hope , and remove fracture critical brige from inventory. Section 36, Township 29 North, Range 7 East.			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> dirt			
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Local	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness:	Width:
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☒ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type: Single Span, concrete deck
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	★ FEDERAL	★ OTHER	TOTAL
Project Length: (Nearest Tenth, State Unit of Measure)		Project No: C-22(276)	
Signature: 		Title: County Highway Superintendent	
		Date: 9-28-2020	


Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: Buy ROW and provide access route for landowners on the south side of Jackson Bridge C002211705P Jackson West , and remove fracture critical brige from inventory. Section 36, Township 29 North, Range 7 East.			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> dirt			
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Local	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness:	Width:
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☒ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type: Single Span, concrete deck
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	★ FEDERAL		★ OTHER
Project Length: (Nearest Tenth, State Unit of Measure)		Project No: C-22(277)	
Signature: 		Title: County Highway Superintendent	
		Date: 9-28-2026	

Form 7 One- and Six- Year Plan

Highway or Street Improvement Project

County: Dakota	City:	Village:	
Location Description: Buy ROW and coordinate with the NRD to provide access route for landowners southeast of Wachter Bridge C002211510P. Section 23, Township 28 North, Range 7 East.			
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> dirt			
Average Daily Traffic: 2026 = 2046=		Classification Type: <i>(As shown on Functional Classification Map)</i> Local	
PROPOSED IMPROVEMENT			
Design Standard Number:	Surfacing	Thickness:	Width:
☒ Grading ☒ Aggregate ☐ Armor Coat ☐ Asphalt	☐ Concrete ☐ Curb & Gutter ☒ Drainage Structures ☒ Erosion Control	☒ Right of Way ☐ Utility Adjustments ☐ Fencing ☐ Sidewalks	☐ Lighting ☐ ☐ ☐
Bridge to Remain in Place	Roadway Width:	Length:	Type:
New Bridge	Roadway Width:	Length:	Type: Single Span, concrete deck
Box Culvert	Span:	Rise:	Length: Type:
Culvert	Diameter:	Length:	Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending		
Other Construction Features:			
Estimated Cost <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE
	★ FEDERAL		★ OTHER
Project Length: (Nearest Tenth, State Unit of Measure)		Project No: C-22(278)	
Signature: 		Title: County Highway Superintendent	
		Date: 9-28-2020	

Form 8 Summary of One - Year Plan

Year Ending: 2027

Sheet 1 of 1

County: Dakota		City:		Village:	
PRIORITY NUMBER	PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	ESTIMATED COST (Thousands)	REMARKS
1	C-22(313)	600	feet	188,000	Contract work
2	C-22(314)	0.7	miles	25,000	County forces
3	C-22(308)	600	feet	119,500	Contract work
4	C-22(315)	200	feet	8,000	County forces
5	C-22(320)	500	sy	191,000	Contract work
6	C-22(316)	3	miles	287,500	County forces
Signature: <i>Jolene Gubbels</i>			Title: County Highway Superintendent		Date: 9-28-2024

Form 9 Summary of Six - Year Plan

Six - Year Period Ending: 2032

Sheet 1 of 1

County: Dakota		City:		Village:	
PRIORITY NUMBER	PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	ESTIMATED COST (Thousands)	REMARKS
1	C-22(313)	600	feet	188,000	Contract work
2	C-22(314)	0.7	miles	25,000	County forces
3	C-22(308)	600	feet	119,500	Contract work
4	C-22(315)	200	feet	8,000	County forces
5	C-22(320)	500	SY	191,000	Contract work
6	C-22(316)	3	miles	287,500	Contract work
7	C-22(311)	500	feet	8,000	County forces
8	C-22(317)	100	feet	5,000	County forces
9	C-22(318)	100	feet	4,000	County forces
10	C-22(319)	100	feet	4,000	County forces
11	C-22(305)	5.5	miles	300,000	Contract work
12	C-22(309)	3	miles	300,000	Contract work
13	C-22(275)	120	feet	600,000	Contract work
14	C-22(310)	3.8	miles	12,000,000	Contract work
15	C-22(280)	0.5	miles	4,000,000	Contract work
16	C-22(281)	1	miles	1,500,000	Contract work
17	C-22(276)				
18	C-22(277)				
19	C-22(278)				
Signature: 		Title: County Highway Superintendent			Date: 9-28-2026

Form 11 Report of Previous Year

Highway or Street Improvement

Year Ending: 2026

Sheet

1 of 1

County: <u>Dakota</u>		City:		Village:		
PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	PROJECTED COST (Thousands)	CONTRACT PROJECT	OWN FORCES	DATE COMPLETED (Actual or Estimated)
C-22(304)	3	MILES	315	X		Oct-25
C-22(306)	900	FEET	36	X		Oct-25
C22-(307)	256	SY	42	X		Aug-25
C22-(311)	500	FEET	8		X	Delayed to 2027/2028
C22-(312)	100	FEET	6		X	Oct-25
C22-(313)	600	FEET	230	X		Delayed to 2026/2027
Signature: <u>Jolene Gubbels</u>			Title: <u>County Highway Superintendent</u>		Date: <u>9-28-2024</u>	